












REV.	ECN NO.	LOCATION	DESCRIPTION	DATE	DESIGN
A			Update	1/28'21	ZC.Xie



DIMM TYPE	DIM.D	DIM.D1	DIM.E	DIM.F
RDIMM	3.875	4.30	72.85	65.10
UDIMM	1.425	1.85	70.40	67.55











DEREN
SHENZHEN DEREN ELECTRONIC CO., LTD

DIM	TOL	DIM	TOL
x.	±0.35	x.	±2'
.x	±0.25	.x	±1'
.xx	±0.20		
.xxx	±0.15		

CUSTOMER DRAWING	DATE	TITLE:
DESIGN: ZC.Xie	1/28'21	DDR5 288P SMT SMALL EXTRACTOR
CHECK: Bill Lin	1/28'21	P/N: SEE NOTE 7
APPROVAL: Smark Huo	1/28'21	SHEET: 2/3
REV. A		SCALE: 1:1 UNIT: mm

REV.	ECN NO.	LOCATION	DESCRIPTION	DATE	DESIGN
A			Update	1/28'21	ZC.Xie



HARD TRAY VIEW

4.35kg	1.86kg	32	10	320
GROSS WEIGHT	NET WEIGHT	PCS/TRAY	TRAY/BOX	PCS/BOX

DIM	TOL	DIM	TOL
X	±1.00	X	
.X	±0.50	.X	
.XX	±0.35		



DEREN
SHENZHEN DEREN ELECTRONIC CO., LTD

DRAW NO.
SC2006327

REV. A

CUSTOMER	DRAWING	DATE
DESIGN:	ZC.Xie	1/28'21
CHECK:	Bill Lin	1/28'21
APPROVAL:	Smak Huo	1/28'21

TITLE: DDR5 288P SMT
SMALL EXTRACTOR

P/N: SEE NOTE 7

SHEET: 3/3

SCALE: 1:1 UNIT: mm