



HF

Halogen Free

| REV. | ECN NO. | LOCATION | DESCRIPTION | DATE | DESIGN |
|------|---------|----------|-----------------|----------|--------|
| A | | | INITIAL RELEASE | 12/09'22 | HC |



NOTES:

- MATERIAL:
 - HOUSING:LCP,UL94V-0,COLOR:BLACK.
 - CONTACT:PHOSPHOR BRONZE.
 - LATCH:STAINLESS STEEL.
- FINISH:
 - CONTACT:
 - 50u" MIN NICKEL UNDERPLATED ALL OVER.
 - GOLD FLASH PLATING ON SOLDER TAIL.
 - GOLD PLATING (THICKNESS SEE P/N) ON CONTACT AREA.
 - SOLDER PEG:
 - 50u" MIN NICKEL UNDERPLATED ALL OVER.
 - 100u" MIN MATTE TIN PLATING ENTIRE OVER.
- DATE CODE:YYWDLX




YY: YEAR (09: 2009)
 WW: WEEK (25: THE 25TH WEEK)
 D: DAY (1~7: SUNDAY~SATURDAY)
 L: LINE NUMBER OF ASSEMBLY (A: LINE A)
 X: MANUFACTURE CODE
- RECOMMENDED STENCIL THICKNESS:0.12mm Min.
- UNSPECIFIED TOLERANCE:X.±0.5 .X±0.35 .XX±0.25 .XXX±0.15
- PART NUMBER DESCRIPTION:

567UD2-002H X S X X R

PACKING CODE:
 R:TAPE&REEL
 LOGO:
 0:NO LOGO
 1:DR LOGO
 COLOR:
 1:BLACK
 2:WHITE
 KEY TYPE:
 S: STD

PLATING CODE:1: GF 2: Au5u"
 3: Au10u" 4:Au15u"
 5: Au30u"

HALOGEN CODE:
 H:HALOGEN FREE





MATING: ① INSERTING(25°) → ② ROTATING → ③ FIXED
 UNMATING: ④ UNFIXED → ⑤ ROTATING → ⑥ WITHDRAWING

| DIM | TOL | DIM | TOL | DEREN SHENZHEN DEREN ELECTRONIC CO.,LTD | | | |
|-----|-------|-----|-----|---|--------------------|------------------|---|
| X. | ±0.30 | X. | ±2' | DRAW NO. SC1905755-4 | DESIGN: HC | DATE 12/09'22 | TITLE: DDR4 SO DIMM 4.0H STD M/L GF ASSY |
| .X | ±0.25 | .X | ±1' | | | | |
| .XX | ±0.20 | | | REV. A | APPROVAL: Bill.lin | DATE: 12/09'22 | P/N: SEE P/N |
| | | | | | | | SHEET: 1/3 |
| | | | | | | | SCALE: N/A UNIT: mm |



HF

Halogen Free


| REV. | ECN NO. | LOCATION | DESCRIPTION | DATE | DESIGN |
|------|---------|----------|-----------------|----------|--------|
| A | | | INITIAL RELEASE | 12/09'22 | HC |



RECOMMEND PCB LAYOUT
 THE TOLERANCE UNLESS SPECIFIED IS ±0.05MM



DETAIL:D
 SCALE 2:1



| DIM | TOL | DIM | TOL | DEREN SHENZHEN DEREN ELECTRONIC CO., LTD | | | |
|-----|-------|-----|-----|---|-----------|----------|--|
| X. | ±0.30 | X. | ±2' | C-DWG: | TY | DATE | TITLE: DDRIV SO DIMM 4.0H STD M/L GF ASSY |
| .X | ±0.25 | .X | ±1' | DESIGN: | HC | 12/09'22 | P/N: |
| .XX | ±0.20 | | | DRAW NO. | ican.chen | 12/09'22 | SHEET: 2/3 |
| | | | | SC1905755-4 | Bill.lin | 12/09'22 | SCALE: N/A |
| | | | | REV. A | APPROVAL: | | UNIT: mm |

